

170

Cordless& Mobile

Plantronics® M170 Series: Maximum Versatility

- Versatile headset converts from headband to over-the-ear style
- ➤ Noise-cancelling microphone for crystal clear calls
- ➤ Drive more safely with both hands on the wheel
- ➤ Easy hands-free conversations



The good news is business is good. The bad news is that it is a little too good. What you need is a way to get more done in a day.

A headset for your mobile or cordless phone can help. It frees your hands so you can work while you talk. No matter where you are. In your car.

On the road. At home.

Experience the freedom,
comfort and great sound quality
of a Plantronics headset.

Do more. Comfortably.





Maximum Versatility and Hands-Free Conversations

Plantronics® Headsets Deliver

- ➤ Great sound. Noise-cancelling microphone, Plantronics RF noise shield and microphone adjust switch deliver superior call clarity.
- ➤ Increased comfort. Talk longer without phone cradle discomfort.
- ➤ Hands-free safety. Drive more safely with both hands on the wheel.
- ➤ Hands-free productivity. Do other tasks and talk on the phone.


M170 Series Key Features

- ➤ Versatile headset converts from headband to over-the-ear style
- ➤ Adjustable microphone boom
- ➤ Noise-cancelling microphone for crystal clear calls
- ➤ Advanced speaker technology protects hearing
- ➤ Plantronics RF Noise Shield reduces annoying RF static
- ➤ Microphone adjust switch for optimal voice output
- ➤ Compatible with telecoil-equipped hearing aids
- ➤ Clothing clip for added stability



Easy volume and mute control (available on M175)

 $4^{\circ}C - 49^{\circ}C$



Important Adapter Information

Headset adapter is required if your mobile phone does not have a headset jack. For more information call 800-544-4660 or visit us on the web.

Product Specifications

Transmit Channel Receive Channel 15 dBV/Pa 1 KHz Sensitivity 1 KHz Sensitivity -40 dBV/Pa High Frequency Response 300 - 3,300 HzMedium -50 dBV/Pa Distortion <5% THD -55 dBV/Pa Input Impedance 150 ohms Low 300 - 3,300 HzAcoustic Limiting <115 dBA free field Frequency Response <5% THD Distortion Conditions Directional Pattern Cardioid 10 ohms Source Impedance DC Current <0.4 MA Wearing Mode Headset or Conditions over-the-ear 3.3K ohms Measured at Drum Reference Position AC Load 3.3K ohms DC Bias resistance DC Bias voltage 3.0 V Microphone at in-use position

Environmental

Operating Temp

Mechanical

Cable Length 4 ft. Headset Plug 2.5 mm

Specifications are subject to change.

QUESTIONS? 1-800-544-4660

1-800-544-4660 www.plantronics.com





Plantronics Inc., 345 Encinal Street / Santa Cruz, CA 95060 / Phone: (831) 426-5858 or (800) 544-4660 / Fax: (831) 425-8654



